



AMB Oils 4T Racing SAE 10w50

AMB Oils 4T Racing SAE 10w50 is a new generation, high-performance, fully synthetic engine oil for four-stroke motorbikes based on fully synthetic base oil, high quality additives and special ESTERS formula. AMB Oils 4T Racing SAE 10w50 has high and stable viscosity index to ensure best possible lubrication at any working conditions and improves protection of the engines, gearboxes and wet clutches.

Application

AMB Oils 4T Racing SAE 10w50 is specially developed for four-stroke motorbikes lubrication where specification SAE 10w50 is required. AMB Oils 4T Racing SAE 10w50 is tried and tested with most popular and modern European and Japanese motorcycle manufacturers. Suitable for use in all air-cooled/liquid-cooled 4 stroke engines with wet and dry clutches.

Performance Level

API SM
JASO MA2
JASO MA

Technical Characteristics

Maximum engine performance,
Outstanding performance at extreme temperatures,
High corrosion protection,
High and stable viscosity index,
Very good protection against wearing and foaming,
Very good detergency and dispersion,
Very good cold start behaviour,
Outstanding engine cleanliness,
Low evaporation tendency.

Technical details

Characteristics	Data	Unit	Test according to
Colour	Brown		Visual
Density at 15°C	865	kg/l	ASTM D 4052
Viscosity at 40°C	120,00	mm ² /s	ASTM D 445
Viscosity at 100°C	16,00	mm ² /s	ASTM D 445
Viscosity index	>155		ASTM D 2270
Flash Point (COC)	220	°C	ASTM D 92
Pour Point	-32	°C	ASTM D 97

All indicated data are approximate values and are subject to the commercial fluctuations.

